

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	7794	wizard and ((user adj interface) (UI GUI) near\$3 (build\$3 creat\$3 author\$3 edit\$3 generat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:48
S3	153	("715"/(762-763).ccls.) and (715/705-715.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:49
S4	116525	(wizard navigat\$3) and ((user adj interface) (UI GUI) near\$3 (build\$3 creat\$3 author\$3 edit\$3 generat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:48
S5	93826	("715"/(762-763).ccls.) (715/705-715.ccls.) (715/710.ccls.) (715/772.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:50
S6	5715	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:50
S7	5398	("715"/(762-763).ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:52
S8	353	(715/705-715.ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:51

EAST Search History

S9	13	(715/710.ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:25
S10	55	(715/772.ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:51
S13	3554	("717"/((104-105).ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:53
S14	30	((("717"/((104-105).ccls.) and 717/113.ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:17
S15	4	((("717"/((104-105).ccls.) and 717/113.ccls. and 717/110.ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:07
S16	1	((("717"/((104-105).ccls.) and 717/113.ccls. and 717/110.ccls. and 717/125.ccls.) and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 14:54
S17	50956	((user adj interface) (UI GUI) near\$3 (build\$3 creat\$3 author\$3 edit\$3 generat\$3)) same (wizard navigat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:17

EAST Search History

S18	749	("715"/\$.ccls. and "717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:00
S19	143	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:00
S20	131	(@ad <= "20031014" or @rlad <="20031014") and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:57
S21	24274	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:01
S22	10209	(@ad <= "20031014" or @rlad <="20031014") and ("717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:01
S23	4345	S17 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:01
S24	829	S17 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:01

EAST Search History

S25	131	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:17
S26	3	S25 and (microsoft adj access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:15
S27	3390	automat\$3 same ((user adj interface) (UI GUI) near\$3 (build\$3 creat\$3 author\$3 edit\$3 generat\$3)) same (wizard navigat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:18
S28	324	S27 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:18
S29	28	S27 and S21 and (map\$4 adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:19
S30	13	S27 and S21 and (map\$4 adj information) and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:37
S31	8	S27 and S21 and (map\$4 adj information) and identif\$3 and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:23
S32	15395	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)	USPAT	OR	OFF	2006/12/01 15:41

EAST Search History

S33	94	automation and wizard and navigat\$3 and identifier controller and global and (alias near name) and (text adj file) and (log near information)	USPAT	OR	OFF	2006/12/01 15:56
S34	16	S32 and S33	USPAT	OR	OFF	2006/12/01 15:53
S35	16	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:53
S36	16	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:54
S37	13	S17 and S34	USPAT	OR	OFF	2006/12/01 15:57
S38	6799	(@ad <= "20031014" or @rlad <="20031014") and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:00
S39	2	(@ad <= "20031014" or @rlad <="20031014") and (automation near wizard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:28
S40	93	(@ad <= "20031014" or @rlad <="20031014") and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:01
S41	26	(@ad <= "20031014" or @rlad <="20031014") and S33 and ("717"/\$.ccls.) ("715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:14

EAST Search History

S42	16	(@ad <= "20031014" or @rlad <="20031014") and S33 and ("715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:15
S43	24274	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:15
S44	648	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.) and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:15
S45	122	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.) and wizard and automation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:16
S47	27	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.) and wizard and automation and (web adj page)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:25
S48	2925	(@ad <= "20031014" or @rlad <="20031014") and(("715"/\$.ccls.) and ("707"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:26
S49	6	(@ad <= "20031014" or @rlad <="20031014") and(("715"/\$.ccls.) and ("707"/\$.ccls.)) and wizard and automation and (web adj page)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:54

EAST Search History

S50	6799	(@ad <= "20031014" or @rlad <="20031014") and (wizard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:28
S51	155	(@ad <= "20031014" or @rlad <="20031014") and wizard and (map\$4 adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:29
S52	10022	(@ad <= "20031014" or @rlad <="20031014") and wizard (((GUI UI) (web near page) (web near site)) same automat\$3) and ((input output) (component (navigation near component))) same (receiv\$3 request\$3) and ((map\$4 near informat\$3) command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:30
S53	1501	("715"/\$.ccls. or "717"/\$.ccls.) and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:31
S54	61	("715"/\$.ccls. and "717"/\$.ccls.) and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:38
S55	46	("715"/\$.ccls. and "717"/\$.ccls.) and S52 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:49
S56	2	"6948133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:53

EAST Search History

S57	9	"6697825"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:54
S58	88	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.) AND edit AND command AND information AND input AND map AND text AND control AND store AND file AND navigation AND page AND component AND log AND user AND interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:57
S59	173	(@ad <= "20031014" or @rlad <="20031014") and ((GUI UI) (web near page) (web near site)) same automat\$3 AND edit AND command AND information AND input AND map AND text AND control AND store AND file AND navigation AND page AND component AND log AND user AND interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:58
S60	743281	(@ad <= "20031014" or @rlad <="20031014") and ((GUI UI) (web near page) (web near site)) same automat\$3 AND edit AND command AND information AND input AND map AND text AND control AND store AND file AND navigation AND page AND component AND log AND user AND interface database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:59
S61	168	(@ad <= "20031014" or @rlad <="20031014") and ((GUI UI) (web near page) (web near site)) same automat\$3 AND edit AND command AND information AND input AND map AND text AND control AND store AND file AND navigation AND page AND component AND log AND user AND interface and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 17:00
S62	12660	"717"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:01

EAST Search History

S63	749	"717"/\$.ccls. and "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:03
S64	48	"717"/\$.ccls. and "715"/\$.ccls. and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 15:04
S65	45	(@ad <= "20031014" or @rlad <="20031014") and ("717"/\$.ccls. and "715"/\$.ccls.) and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:24
S67	397589	(@ad <= "20031014" or @rlad <="20031014") and ("717"/\$.ccls. and "715"/\$.ccls.) and (navigational adj1 component) (interface adj1 component) (user adj interface) (UI GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:26
S68	397589	(@ad <= "20031014" or @rlad <="20031014") and ("717"/\$.ccls. and "715"/\$.ccls.) and (automation same (build\$3 creat\$3 author\$3 edit\$3 generat\$3)) and (navigational adj1 component) (interface adj1 component) (user adj interface) (UI GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:26
S69	10582	(autom\$5 or simulate\$4) near3 interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:46
S70	136	S69 same (wizard or (autom\$5 near3 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:40

EAST Search History

S71	3	S70 and (map\$4 near3 (file or stor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:51
S72	5	S70 and ((command or instruction) near3 (file or store))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:52
S73	1	S71 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:26
S75	5	S70 and "715"/(762-763.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:49
S79	14	S70 and "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:49
S80	18	S70 and (map\$4 near3 (file or stor\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:53
S81	11	S70 and ((command or instruction) near3 (file or stor\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 18:48

EAST Search History

S82	2	S80 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:52
S83	17	(@ad <= "20031014" or @rlad <="20031014") and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 17:53
S84	8	((("6744450") or ("6360365") or ("20050172238") or ("6564375"))). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 07:55
S86	10233	(@ad <= "20031014" or @rlad <="20031014") and "717"/\$.cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 08:29
S87	342	S86 and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 08:07
S91	2538	S86 and ((build\$3 creat\$3 edit\$1 generat\$3) same ((navigational near3 component) (interface near3 component) (user near3 interface) (UI GUI) (wizard)))	US-PGPUB; USPAT	OR	OFF	2006/12/05 08:11
S92	1590	S91 and (autom\$5 or simulate\$4)	US-PGPUB; USPAT	OR	OFF	2006/12/05 08:11
S93	1390	S92 and (identif\$4)	US-PGPUB; USPAT	OR	OFF	2006/12/05 08:12
S94	191	S93 and ((command instruction) near3 (file store))	US-PGPUB; USPAT	OR	OFF	2006/12/05 08:13
S95	163	S93 and (map\$4 near3 (file stor\$3))	US-PGPUB; USPAT	OR	OFF	2006/12/05 08:13
S96	244	S93 and ((command instruction) near3 (file stor\$3))	US-PGPUB; USPAT	OR	OFF	2006/12/05 17:24

EAST Search History

S97	39	S95 and S96	US-PGPUB; USPAT	OR	OFF	2006/12/05 11:21
S99	22	(@ad <= "20031014" or @riad <="20031014") and "717"/\$.ccls. and (edit\$4 and file and command and global and system and gui and navigation and log and validat\$\$ and map\$4 and (visual near3 basic))	US-PGPUB; USPAT	OR	OFF	2006/12/05 08:31
S10 1	1	("2003/0177477").URPN.	USPAT	OR	OFF	2006/12/05 14:42
S10 2	15	S93 and (page near3 section)	US-PGPUB; USPAT	OR	OFF	2006/12/05 17:22
S10 5	7	S93 and ((command instruction) near3 (file stor\$3)) same (loop\$4 iterat\$3)	US-PGPUB; USPAT	OR	OFF	2006/12/05 17:28
S10 7	31	S93 and (alias near3 name)	US-PGPUB; USPAT	OR	OFF	2006/12/05 17:29

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S183	1	"709"/\$.ccls. and (frame near work) and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 15:00
S191	17	715/762.ccls. and (skin (frame near work) (layout near template))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 17:37
S192	4	715/762.ccls. and (international bussiness machine.as.) and (skin (frame near work) (layout near template))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 17:35
S193	40	"709"/\$.ccls. and (frame near work) and (skin (layout neartemplate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 17:34
S194	9	"717"/109.ccls. and (skin (layout near template) (frame near work))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 15:36
S195	66	"708"/\$.ccls. and (skin (layout near template) (frame near work))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 15:33
S197	19430	((GUI UI) (web near page) (web near site)) same automat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 17:00

EAST Search History

S19 8	1645784	((input output) (component (navigation near component))) same (receiv\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 16:55
S20 0	775	715/762.ccls. or 717/709.ccls. or 717/113.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 16:59
S20 2	64	(715/762.ccls. or 717/709.ccls. or 717/113.ccls.) and (((GUI UI) (web near page) (web near site)) same automat\$3) and ((input output) (component (navigation near component))) same (receiv\$3 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 17:02
S20 8	3	S191 and S197 and S198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/29 17:38
S21 0	1	(715/762.ccls. or 717/709.ccls. or 717/113.ccls.) and (((GUI UI) (web near page) (web near site)) same automat\$3) and ((input output) (component (navigation near component))) same (receiv\$3 request\$3) and (map\$4 near informat\$3) and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 07:40
S21 2	62	(((GUI UI) (web near page) (web near site)) same automat\$3) and ((input output) (component (navigation near component))) same (receiv\$3 request\$3) and (map\$4 near informat\$3) and (wizard (layout near template) skin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 07:51
S21 3	57	(@ad <= "20031014" or @rlad <="20031014") and S212	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 09:48

EAST Search History

S25 4	20	("20030221189" "4696003" "4845665" "5157782" "5233611" "5600789" "5673387" "5754755" "5781720" "5790117" "5790829" "5805899" "5974254" "6002867" "6158044" "6256773" "6278452" "6332211" "6698013" "6769114").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/02 11:02
S25 9	2	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (navigat\$4 adj component) and alias	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:02
S26 0	171	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and alias and (UI GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:04
S26 1	18	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (alias adj name) and (UI GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:18
S26 6	10176	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:20
S26 8	110	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and command and (GUI UI) and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:36
S26 9	6	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and command and (GUI UI) and skin and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:21

EAST Search History

S27 0	15	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (controll\$3 adj type) and (GUI UI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:31
S27 1	1	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (controll\$3 adj type) and (GUI UI) and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:32
S28 1	7	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (build\$3 adj wizard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 12:54
S28 5	13	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and ((page adj identif\$3) and (map\$4 adj file))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:06
S28 6	260	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and ((page adj identif\$3) and (map\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:07
S28 9	288	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (navigat\$4 component) and wizard and (GUI UI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:08
S29 0	80	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (navigat\$4 component) and wizard and (GUI UI) and (automation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:23

EAST Search History

S29 1	3	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (navigat\$4 component) and wizard and (GUI UI) and (automation) and (page adj identif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:09
S29 2	6	((@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.)) and (navigat\$4 component) and wizard and (GUI UI) and (automation) and (alias adj name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:10
S29 4	15	(@ad <= "20031014" or @rlad <="20031014")and (navigat\$4 component) and wizard and (GUI UI) and (automation) and (page adj identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:29
S29 7	212	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.) and ((build\$3 creat\$3 author\$3 edit\$3 generat\$3 facilit\$3) same ((navigat\$4 component) and wizard)) and (identif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:31
S29 8	4	(@ad <= "20031014" or @rlad <="20031014") and ("715"/\$.ccls.) and ((build\$3 creat\$3 author\$3 edit\$3 generat\$3 facilit\$3) same ((navigat\$4 component) and wizard)) and (identif\$3) and (alias adj name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/02 13:34